



Part Number & Date Code Printing



D5W5P36A6GX08**	UNC 4.40
D5W5P36A6GL08**	M3
PART NUMBER	THREADED

LF FOR LEAD FREE



**REQUIREMENTS**

Technical characteristics:

- Material contacts - brass
- Finish on contact area -gold 0.76µ mini over nickel
- Finish on terminaison end - bright tin - Lead over nickel

Shell: steel tin/Zinc Cr3 plated  
 Insulators: self-extinguishing thermoplastic, ULclass94V0  
 Grounding brackets: brass, tin/Zinc Cr3 plated  
 Insert M3 :brass, tin/Zinc Cr3 plated  
 Harpoon: brass , tin plated

Climatic characteristics:

Operating temperature range: -55°C +125°C

Dimensions:

in accordance with MIL-C-24308

FOR ROHS DETAILS REFER DWG.NO:C01-8646-0000

European Views

rev	ecn no	dr	date
C	105-0124	JS	2005/07/27
D	106-0074	SK	2006/06/08
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

www.fciconnect.com		surface ISO 1302 ✓	tolerance std ISO 406 ISO 1101	projection mm
TOLERANCES UNLESS OTHERWISE SPECIFIED				
Dr	JOHN SLEEBA	2001/02/06	ANGULAR	0.X ±0.1
Eng	GEORGE VJ	2001/02/06	LINEAR	0.XX ±0.1
Chr	GEORGE VJ	2005/07/27	0.XX* ±1*	0.XXX ±0.1
Appr	KVSD	2005/07/27	Product family	D-SUB Spec ref -
FCi		title MALE CONNECT. 5W5 metal plate, harpoons, insert		Rev. D
catalog no		DELTA-D		dwg no C01-8646-0771
		CUSTOMER		sheet 1 of 1



Copyright FCI.