

## Specification Sheet

Part Number: 170-03076



Braided Sleeving, Expandable, .75" Dia, PET, Orange, 1000 ft/bulk reel

<b>Article Number</b>	170-03076
<b>Type</b>	BSP143B
<b>Color</b>	Orange (OG)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• Weave construction adjusts to twisting and flexing without creating wrinkles or bends.</li><li>• Durable construction offers excellent abrasion and cut-through resistance as well as inertness to most chemicals and fungus.</li><li>• Color options available to provide easy visual and safety identification of critical wiring components.</li><li>• Expands to 150% of nominal diameter for fast, easy installation.</li></ul>
<b>Quantity Per</b>	reel
<b>Product Description</b>	General purpose expandable braided sleeving provides flexible abrasion protection for wire bundles and hoses.
<b>Short Description</b>	Braided Sleeving, Expandable, .75" Dia, PET, Orange, 1000 ft/bulk reel

**Global Part Name**

BSP143B-PET-OG

**Length L (Imperial)**

1000.0

**Length L (Metric)**

304.8

**Bundle Diameter Min (Imperial)**

0.125

**Bundle Diameter Min (Metric)**

3.2

**Bundle Diameter Max (Imperial)**

0.437

**Bundle Diameter Max (Metric)**

11.1

**Diameter D (imperial)**

0.25

**Diameter D (metric)**

6.4

**Nominal Diameter (Imperial)**

1/4

**Nominal Diameter (Metric)**

6.4

**Material**

Polyester (PET)

**Material Shortcut**

PET

**Flammability**

UL 94 V0 FAR 25 FMVSS 302

**Halogen free**

Yes

<b>Operating Temperature (Metric)</b>	-94°F to +257°F (-70°C to +120°C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>UL Recognized (US)</b>	Yes
<b>UL Recognized (US and Canada)</b>	Yes
<b>Package Quantity(Imperial)</b>	1000
<b>Package Quantity (Metric)</b>	304.80
<b>Customs Number</b>	3926909987
<b>Weight (Metric)</b>	1.18
<b>Weight (Imperial)</b>	2.6