PHŒNIX CONTACT

Software - NLC-NAV-01 - 2701221

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

nanoNavigator software

Product Features

- Programming can be carried out without a controller connected and then downloaded later
- Direct connection to a controller enables data to be monitored (inputs, outputs, registers, flags, etc.) and inputs and outputs to be set manually
- The software simulator provides a simulated controller for troubleshooting
- Automatic configuration of hardware options
- Multiple charts create a project

Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	51.0 g
Custom tariff number	85234945
Country of origin	United States

Technical data

Functions

Basic functions	Programming with flowcharts
	Programming with ladder diagram
	Project configuration
	Project simulation
	Execution monitoring

Hardware requirements

Hard disk	128 Mbyte
CPU	Pentium > 400 MHz
Interfaces	COM port or USB port

Software - NLC-NAV-01 - 2701221

Technical data

Hardware requirements

Optical drive	CD-ROM
Monitor resolution	SVGA (800 x 600)
Operating equipment	Keyboard, mouse

Operating systems

Operating systems	MS Windows 2000, Windows XP, Windows Vista (32- and 64-bit), Windows 7 (32- and 64-bit)

Software requirements

Operating systems	MS Windows 2000, Windows XP, Windows Vista (32- and 64-bit), Windows 7 (32- and 64-bit)

Classifications

eCl@ss

eCl@ss 4.0	27250315
eCl@ss 4.1	27250315
eCl@ss 5.0	27242216
eCl@ss 5.1	27242216
eCl@ss 6.0	27242216
eCl@ss 7.0	27242216
eCl@ss 8.0	27242501

ETIM

ETIM 2.0	EC001417
ETIM 3.0	EC001417
ETIM 4.0	EC001417
ETIM 5.0	EC000809

UNSPSC

| UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	43172015
UNSPSC 12.01	43201404
UNSPSC 13.2	43201404

Drawings

Software - NLC-NAV-01 - 2701221

Pictogram

Pictogram

Pictogram

Pictogram

Pictogram

Pictogram