





PRODUCT NUMBER SEE SHEET 2




NOTE 1



spec ref	*	dr	Rainbow Zhan	2014/06/12	projection	MM	size	A3	scale	3:2	
tolerance std	ASME Y14.5	eng	Rainbow Zhan	2014/07/03			ecn no	-	rel level	Released	
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Li-He	2014/07/03							product family
surface	linear	appr	Pei-Ming Zheng	2014/07/03			dwg no	10106116-4011001		rev	A
ASME Y14.5	angular	www.fci.com		cat. no.	44S + 4ACP RA STB HEADER		Product - Customer Drw		sheet 1 of 3		

PRODUCT NO.	ROWS	SIGNAL											HIGH POWER				
		E1	1	2	3	4	5	6	7	8	9	10	11	P1	P2	P3	P4
10106116-4011001LF	DCBA	U	X	U	U	U	U	U	X	U	U	U	H1	H1	H1	H1	
		T	X	T	T	T	T	T	X	T	T	T					
		X	X	S	S	S	S	S	X	S	S	S					
		R	R	R	R	R	R	R	X	R	R	R					



CODE	DESCRIPTION
E	MLBF SIGNAL CONTACT, ROW A (3.43)
H1	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)
X	OMITTED

dr	Rainbow Zhan	2014/06/12	projection	MM	size	A3	scale	3:2
eng	Rainbow Zhan	2014/07/03			ecn no			
chr	Li-He	2014/07/03			-			
appr	Pei-Ming Zheng	2014/07/03	product family	PwrBlade+	rel level			
			44S + 4ACP		dwg no		10106116-4011001	
www.fci.com			RA STB HEADER		rev		A	
cat. no.			Product - Customer Drw			sheet 2 of 3		




Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Rainbow Zhan	2014/06/12	projection 	MM 	size	A3	scale	3:2
eng	Rainbow Zhan	2014/07/03			ecn no	-		
chr	Li-He	2014/07/03			product family	PwrBlade+	rel level	Released
appr	Pei-Ming Zheng	2014/07/03			 title 44S + 4ACP RA STB HEADER		dwg no 10106116-4011001	rev A
www.fci.com			cat. no.	Product - Customer Drw		sheet 3 of 3		